

5 OUTBOARD
YEARS
warranty

FOR LEISURE USE ONLY
Selva 50 terms and conditions
see your Dealer for more
information



SELVATM



New

Wide Open
Line

Open
Line

Fish Master
Line

BOATS WITH OUTBOARD MOTORS



f Selva Marine



5 OUTBOARD
YEARS
warranty

FOR LEISURE USE ONLY
Subject to terms and conditions
see your Dealer for more
information

Selva Marine Engines come with a Five-Year Limited Warranty. Certain conditions and exclusions apply including professional and commercial use.

BOATS WITH OUTBOARD MOTORS

Wide Open Line

P. 4



Open Line

P. 8





Fish Master Line

P. 12



MODEL
510 WIDE OPEN

**Wide Open
Line**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
510	202	380	7

TECHNICAL CHARACTERISTICS	
Model	510 WIDE OPEN
Max length (cm)	5.10
Max width (cm)	2.02
Approx. dry weight (kg)	380
Draft (m)	0.25
Max applicable power (Hp)	60
Recommended power (hp):	15-60
Design category	C
People carrying capacity	7


STANDARD EQUIPMENT
Swim ladder inox
Bow rails inox
Aft rails inox
Navigation led lights
Switch panel with socket
Battery box
Heavy duty fender profile
Non return valves
Self bailing cockpit
Standard color white

EXTRA EQUIPMENT
Console with front seat
Auxiliary motor bracket
Bimini aluminium
Bimini inox
Bow cushions (3 pieces)
Aft cushion
Center cushion - wooden support
Aft back rest inox with cushion
Cockpit lighting - 3 led spots
Radio vellex - bluetooth - 2 marine speakers
Shower system - Water tank 50 lt
Live bait system
Console colour
Mooring cover
Console cover

For information on engines in packages with **WIDE OPEN LINE** boats please see the Selva Marine outboard engine catalogue. The data in these tables are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation. The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase.

MODEL
560 WIDE OPEN

**Wide Open
Line**



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
560	202	450	8



TECHNICAL CHARACTERISTICS	
Model	560 WIDE OPEN
Max length (cm)	5.60
Max width (cm)	2.02
Approx. dry weight (kg)	450
Draft (m)	0.25
Max applicable power	80
Recommended power (hp)	15-80
Design category	C
People carrying capacity	8


STANDARD EQUIPMENT
Swim ladder inox
Bow rails inox
Aft rails
Navigation led lights
Switch panel with socket
Battery box
Heavy duty fender profile
Non return valves
Self bailing cockpit
Standard color white

EXTRA EQUIPMENT
Console with front seat
Bow cabin canopy
Auxiliary motor bracket
Bimini aluminium
Bimini inox
Bow cushions (3 pieces)
Aft cushion
Center cushion - wooden support
Aft back rest inox with cushion
Driver's seat "stand up"
Plastic fuel tank system 50 lt
Cockpit lighting - 3 led spots
Radio velex - bluetooth - 2 marine speakers
Shower system - water tank 50 lt
Live bait system
Mooring cover
Console cover
Console colour

For information on engines in packages with **WIDE OPEN LINE** boats please see the Selva Marine outboard engine catalogue.
 The data in these tables are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.
 The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified.
 Please request confirmation of the data at time of purchase.

MODEL
540 OPEN

Open
Line



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
540	219	450	7



TECHNICAL CHARACTERISTICS	
Model	540 OPEN
Max length (cm)	5.40
Max width (cm)	2.19
Approx. dry weight (kg)	450 kg
Draft (m)	0.30
Max applicable power	20°
Max applicable power	80
Recommended power (hp)	30-70
Design category	C
People carrying capacity	7


STANDARD EQUIPMENT
Console, windscreen, etc
Heavy duty steering system
Pilot & co-pilot seat with cushions
Easy entrance bow rails inox
Aft rails
Telescopic swim ladder inox
Bow roller inox
Navigation led lights
Switch panel with socket
Battery box
Fender profile
Plastic accessories
Non return valves
Self bailing cockpit
Standard color white

EXTRA EQUIPMENT
Auxiliary motor bracket
Bimini aluminium
Bimini inox
High bow rail
Bow cushions (2 pieces)
Aft cushion
Center cushion - bow table
Aft back rest inox with cushion
Bow side cushion
Driver's seat "stand up"
Black painted inox rails
Plastic fuel tank system 60 lt
Aft platforms
Shower system - Water tank 50 lt
Live bait system
Cockpit lighting - 3 led spots
Ski frame
Radio vellex - bluetooth - 2 marine speakers
Hull stripe color wrap
Full hull color
Console colour
Foam deck seadek
Mooring cover
Console cover

For information on engines in packages with **OPEN LINE** boats please see the **Selva Marine** outboard engine catalogue.
 The data in these tables are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.
 The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified.
 Please request confirmation of the data at time of purchase.

MODEL
580 OPEN

Open
Line



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
580	219	550	8



TECHNICAL CHARACTERISTICS	
<i>Model</i>	580 OPEN
<i>Max length (cm)</i>	5.80
<i>Max width (cm)</i>	2.19
<i>Approx. dry weight (kg)</i>	550
<i>Draft (m)</i>	0.30
<i>Max applicable power</i>	20°
<i>Max applicable power</i>	115
<i>Recommended power (hp)</i>	30-100
<i>Design category</i>	C
<i>People carrying capacity</i>	8

STANDARD EQUIPMENT
Console, windscreen, etc
Console front seat with cushion
Heavy duty steering system
Pilot & co-pilot seat with cushions
Easy entrance bow rails inox
Aft rails
Telescopic swim ladder inox
Bow roller inox
Navigation led lights
Switch panel with socket
Battery box
Fender profile
Plastic accessories
Non return valves
Self bailing cockpit
Standard color white

EXTRA EQUIPMENT
Auxiliary motor bracket
Bimini aluminium
Bimini inox
High bow rail
Bow cushions (2 pieces)
Aft cushion
Center cushion - bow table
Aft back rest inox with cushion
Bow side cushion
Driver's seat "stand up"
Black painted inox rails
Aft platforms
Plastic fuel tank system 60 lt
Shower system - Water tank 50 lt
Live bait system
Cockpit lighting - 3 led spots
Ski frame
Radio vexel - bluetooth - 2 marine speakers
Hull stripe color wrap
Full hull color
Console colour
Foam deck seadek
Mooring cover
Console cover

For information on engines in packages with **OPEN LINE** boats please see the **Selva Marine** outboard engine catalogue.
 The data in these tables are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.
 The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified.
 Please request confirmation of the data at time of purchase.

MODEL 590 FISH MASTER

Fish Master
Line



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
590	242	900	7

TECHNICAL CHARACTERISTICS	
Model	590 FISH MASTER
Max length (cm)	5.90
Max width (cm)	2.42
Approx. dry weight (kg)	900
Draft (m)	0.35
Max applicable power	19°
Max applicable power	115
Recommended power (hp)	90
Design category	C
People carrying capacity	7

STANDARD EQUIPMENT
Glass tempered wind screen
Side windscreen windows
Windscreen wiper
Pilothouse and cabin hatches
Full set of cushions
Fuel tank system 100 lt
Gas cooker - marine sink
Bow and aft rails
Navigation led lights
Switch panel with socket
Cabin lights
Battery box
Swim ladder
Bow roller inox
Heavy duty steering system
Heavy duty fender profile
Non return valves
Self bailing cockpit
Standard color white

EXTRA EQUIPMENT
Sliding pilot house door
Auxiliary motor bracket
Bimini aluminium
Bimini inox
Electric marine toilet
Shower system - Water tank 50 lt
Electric anchor windlass 500 w
Electric refrigerator 51 lt
Hydraulic steering
Cockpit lighting - 3 led spots
Radio velex - bluetooth - 2 marine speakers
Grp platforms with telescopic swim ladder
Foam deck seadek
Hull stripe color
Full hull color

For information on engines in packages with **FISH MASTER LINE** boats please see the **Selva Marine** outboard engine catalogue.

The data in these tables are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation.

The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified.

Please request confirmation of the data at time of purchase.

MODELLO
670 FISH MASTER

Fish Master
Line



Max length (cm)	Max beam (cm)	Dry weight (kg)	People carrying capacity
670	247	1250	8



TECHNICAL CHARACTERISTICS	
Model	670 FISH MASTER
Max length (cm)	6.70
Max width (cm)	2.47
Approx. dry weight (kg)	1250
Draft	0.40
Max applicable power	19°
Max applicable power	250
Recommended power (hp)	150
Design category	C
People carrying capacity	8

STANDARD EQUIPMENT
Glass tempered wind screen
Separate room with marine toilet
Sliding pilot house door
Foam deck seadek
Side windscreen windows
Windscreen wiper
Pilothouse and cabin hatches
Full set of cushions
Fuel tank system 150 lt
Gas cooker - marine sink
Table in pilothouse
Shower system in cockpit and toilet
Swim ladder
Bow roller inox
Bow and aft rails
Navigation led lights
Cabin lights
Switch panel with socket
Battery box
Heavy duty steering system
Fender profile
Non return valves
Self bailing cockpit
Standard color white

EXTRA EQUIPMENT
Auxiliary motor bracket
Bimini aluminium
Bimini inox
Electric anchor windlass 500 w
Electric refrigerator 51 lt
Hydraulic steering
Grp platforms with telescopic swim ladder
Separate room with marine toilet and sewage tank kit
Radio velex - bluetooth - 2 marine speakers
Cockpit lighting - 3 led spots
Hull stripe color
Full hull color

For information on engines in packages with **FISH MASTER LINE** boats please see the **Selva Marine** outboard engine catalogue. The data in these tables are to be considered as approximate and **Selva S.p.A.** reserves the right to modify the technical characteristics, materials, construction, weights, colours, graphics etc. without any forewarning or obligation. The specifications given in this table are determined in accordance with the regulations in force at the time of preparation of the catalogue and may have to be modified. Please request confirmation of the data at time of purchase.



SELVA S.p.A.

Head office and main factory:

Viale dell'Industria, 13

23037 Tirano (SO) - Italia

Tel. 0342 702451 - Fax 0342 70536

VAT Number IT 00050830140

Company Registration SO n. 00050830140 - REA n. 18382

www.selvamarine.com



Q8  **Oils**